

PRACTITIONER

ALDEN, MICHAEL
300 North Cedar Street
E
Summerville, South Carolina 29483

PATIENT

Name: BANAT, MOHAMMAD
DOB: 01/28/1978
Gender: M

| TEST | RESULT | | | |
|---|----------------------|------------|-----------------|----------------------------|
| | IN RANGE (Normal) | EQUIVOCAL* | OUT OF RANGE | REFERENCE (ELISA Index) |
| Array 7 - Neurological Autoimmune Reactivity Screen ** | | | | |
| Myelin Basic Protein | | | 1.51 | 0.1-1.4 |
| Asialoganglioside | 0.90 | | | 0.1-1.4 |
| Alpha-Tubulin + Beta-Tubulin | | 1.31 | | 0.4-1.4 |
| Cerebellar | 0.98 | | | 0.2-1.4 |
| Synapsin | | 1.05 | | 0.1-1.2 |

** All analytes are tested for IgG and IgA combined.

* Reference ranges are calculated based on the mean \pm 2 standard deviations (SD). Results > 1 SD, and <2 SDs above the mean are considered to be equivocal. An equivocal result represents the range between negative and suspicious low positive results. Results >2 SDs are considered out of range, and positive.

Mark G. Kartub, M.D., Medical Director

Cyrex Laboratories is certified under the Clinical Laboratory Improvement Amendments of 1988 ("CLIA") as qualified to perform high-complexity clinical testing. Test result data on its own does not constitute a diagnosis. Only a physician or qualified healthcare professional should interpret the significance of a clinical lab test or make a diagnosis. This test was developed and its performance characteristics determined by Cyrex Laboratories, LLC. The names and titles of tests and arrays are for reference purposes only.